

1 R	MISCELLANEOUS	14	...Adjustable
1 A	.Aerial photo	15Conforming
1 B	.Printed sheet	16	..Adjustable
1 C	.Curve and chart analysis	17 R	.Processes
1 D	.Indexing and verniers	17 A	..Pattern grading
1 E	.Dip and strike	2 H	.Hems and cuffs
1 F	.Article subdividing	2 A	.Stocking gauge
1 G	.Layout	18.1	SCRIBER
1 H	.Earth	18.2	.Writing
1 K	.Copy aids and perspective drawing	18.3	.Perspective drawing
1 M	.X-Y motion	19.1	.Graduating
1 N	.Angular measurement	19.2	..Straight-line
1 L	.Optical readout	19.3	..Circular
1 P	.Sonic wave	20.1	.Sight-line controlled
1 Q	.Railroad	20.2	..Course tracking
1 S	.Statistical measurements	20.3	..Perspective view tracing
1 T	.Theodolite-optical readout	20.4	..Stereoscopic mapping
1 V	.Volume measurement	21.1	.Curved surface
1 AA	.Tables-layout	21.2	..Spherical
1 BB	.Inspection	21.3	..Pipe junction
1 CC	.Remote point locating	21.4	..Tumbler engraving
1 DD	.Light direction	22	..Pantographic
1 HH	.Seismic	23.01	.Pantographic
1 LE	.Line engaging	23.02	..Single beam
1 MP	.Multipolar	23.03	..Superposed carriages
1 SP	.Radius and spiral	23.04	..Sliding pivot
1 PT	.Angular position transducer	23.05	..Opposite replica
1 AP	.Angle polysection	23.06	..Plural reproduction
1 SB	.Simulating calculators	23.07	..Pattern grading
1 SA	..Spherical	23.08	..Pattern follower
1 SC	..Astronomical	23.09	..Human form
1 SD	..Flat multisheet	23.1	..Telautograph
1 CF	.Character forming	23.11	..Template and stylus details
2 R	APPAREL	24.1	..Multiplane
3 R	.Footwear	24.2	...Pendulum
4	..Laying out	24.3	...Coaxial styli
5	...Patterns	25.1	..Parallelogram type
6	..Processes	25.2	...Simple parallelogram
3 A	..Single measuring or indicating means	25.3	...Universally parallel bar
3 B	..Multiple indicating means, independent	25.4	...Progressive lettering
3 C	..Multiple indicating means interconnected	25.5	...Tandem pantographs
7	.Leveling features	26	.Compound curved and straight-line
8	.Stand supported	27.01	.Curved line
9 R	..Skirts	27.02	..Compass
10	...Platform	27.03	...Beam type
9 A	...Powder-marking	27.031	...With scoring means
11	.Laying out	27.032Including scale
12	..Patterns and charts	27.033With screw adjustment means
13	...Perforated	27.04	..Circle forming frame support
		27.05	..Circle forming roller
		27.06	..Circle forming pin and jointed arm

27.07	..Circle forming rotating table	263	.Structurally installed
27.08	..Conic section	264	..Vehicle
27.09	..Spiral	265	..Archery bow
27.1	..Sine curve	266	..Camera
27.11	..Rose engine	267	.With telemetric means
27.12	..Pattern follower	268	.Celestial
28	..Lens	269	..Time computing
29	..Stair	270	...Including gnomonic indicator (e.g., sundial, etc.)
30.1	..Ellipsograph	271And compass
30.2	...Pivoted circular pattern	272	.With magnetic compass
30.3	...Pattern follower	273	..And level or plumb
30.4	...Harmonic component	274	.With straight edge instrument or chart
30.5	...Flexible cord type	275 R	.Combined
30.6	...Sliding leg	275 G	..With gyroscope
30.7	...Planetary scribe arm	276	.Multisight line
31	...Right-angle guides	277	..Common viewpoint
32.1	.Straight-line	278	..Relatively movable
32.2	..Portable	279	...Angularly and rectilinearly
32.3	..Moving scribe	280	...Each separately adjustable
32.4	...And sheet	281	.Vertical and horizontal angle measurer
32.5	..Stationary scribe and moving support or sheet	282	.Vertical angle
32.6	...Moving sheet	283	..Having gravity responsive indicating means (e.g., pendulum, etc.)
32.7	..Sheet support and handling details	284	.Including distance finding feature
33	..Clapboard	285	.Horizontal angle measurer
34	..Ink	286	.Alignment device
35	...Traveling markers	287	..Railway track
36Rotary	288	..Vehicle chassis, running gear or headlamp
37	...Rotary markers	289	..Game ball (e.g., football, etc.)
38Blank space	290	.Level (i.e., surveyor's type)
39.1	...Blank space	291	..Self leveling
39.2	...Hand pen	292	..With tubular sighting means (e.g., telescope, etc.)
40	..Set shift	293	.Rod or target
41.1	.Parallel line	294	..Self computing type rod
41.2	..Lettering guide	295	..With leveling or plumbing adjunct
41.3	..Rotary marker	296	..Extensible rod sections
41.4	..Multi-marking	297	.Reticle
41.5	..Profile tracing	298	..Adjustable
41.6	..Single marker with spacing guide	299	.Instrument support
42	..Edge guided	300	INDICATOR OF DIRECTION OF FORCE TRAVERSING NATURAL MEDIA
43	...Bevel set	301	.Process
44	...Multimarkers	302	..Borehole or tube interior study
45	..Machine type		
227	STRAIGHT-LINE LIGHT RAY TYPE		
228	.Process		
229	.Aerial bomb sight		
230	..Gyroscopically stabilized		
231	..With ground speed indicator		
232	.Marine or aircraft ground speed indicator		
262	.Body related		

303	..Including calculation or comparison	334	..Hand implement (e.g., tool, rifle, camera, etc.)
304	.Borehole direction or inclination	335	.Vehicle running gear, or headlight, inclination
305	..Etching or marking liquid determines orientation	336	..Wheel supported
306	..Fluid (e.g., drilling fluid, etc.) responsive	337	..Axe supported
307	...Varied pressure or pressure pulses representative	338	.Railway rail spacing and inclination
308	..Pendulum mounted or directed marker	339	.With cord-type straight-line guide or holder therefor
309	...Radiant energy or electrically produced marking	340	.With measurement in plural directions or of shape
310	...Includes magnetic directional indicator	341	..With variable angle indication
311	...Record movable to marking position	342	.With independent linear measurement
312	..Electrical telemetering to read-out	343	.With angle or shape determination
313	..Inclination and direction indications	344	.With damper or governor for sensor
314	..Indicator image projected on sensitized record (e.g., photographic, etc.)	345	..Magnetic
315	.Thermally sensitive	346	..Fluid
316	.Gyromagnetic compass	347	.Attaching means (i.e., adhesive, magnetic or vacuum viewing aid)
317 R	..Electrical telemetering	348	.With viewing aid (i.e., illuminator or illumination director)
317 D	...Differential disparity correction	348.2	..Spirit level electric illuminator
318	.Gyroscopically controlled or stabilized	349	.With preselected direction indicator
319	..Magnetic compass	350	.With protector or shock absorber
320	..Geographic position indication (i.e., latitude or longitude)	351	.Diverse directional indicator
321	..Plural gyroscopes (e.g., reference platform, etc.)	352	..Includes magnetic compass
322	...Diverse indications	353	..Line plumb and bubble level
323	...Directive gyroscope stabilized by auxiliary gyroscope	354	.Combined
324	..Gyroscopic compass	355 R	.Magnetic field responsive
325	...Transmission system for remote readout	356	..Error indicator, preventor, or compensator
326	...Selective correction for deviation	357	...Error-producing-field minimizing
327	...Fluid, suspension or control	358Adjustable positioned permanent magnet
328	..Attitude indicator (i.e., pitch or bank)	359Pivoted adjustment
329	...Gyroscope mounted, lever indicator and skyplate	360	..Utilizing cathode-ray tube or photoelectric cell
330	...Spherical indicator	361	..Electro-magnet or inductor (e.g., flux valve, etc.)
331	.With recorder	362	...Inductor rotated or vibrated
332	.With marker	363 R	..Electrical telemetering
333	.Structurally installed including relation to feature thereof	363 K	...Photoelectric pickoff
		363 L	...Electrical contact pickoff
		363 N	...Electrolytic liquid pickoff
		363 Q	...Resistance, capacitance, or inductance pickoff

363 Y	...Fluid jet or pressure pickoff	377	..Liquid type, upper surface utilizing
364	..Liquid buoyed magnetic needle	Float or piston
355 D	..Dip aligning needle	378Bubble
365	.Level or plumb, terrestrial gravitation responsive	379Adjustable size
366.11	..Electrically actuated signal or indicator	380Plural
366.12	...Plural nonparallel axes or plural orientation sensors	382Coacting at an angle
366.13	...With compensation of sensed quantity (e.g., acceleration)	383Relatively adjustable
366.14	...With pulse or digital processing circuit component	384Liquid container adjustable on reference-surface section
366.15	...Fluent sensor	385Cam-type adjuster (e.g., gear, screw, wedge, etc.)
366.16Having light or radiant energy detecting circuit control element	386Opposing spring
366.17Having buoyant control element	387Adjustment indicium
366.18Having fluent material reactive circuit control element (e.g., inductive)	388Adjustment indicium
366.19Capacitive sensor	389Bubble-position indicia on reference-surface section
366.21Having resistive or contact circuit control element	390Universal, or plural indicating sections on container
366.22By multiple circuit paths through conductive fluid	391	..Pendulum
366.23	...Having light or radiant energy detecting circuit control element	392	...Plumb line (i.e., flexible, line suspended plumb bob)
366.24	...Having pendulum sensor	393Line take-up reel
366.25	...Having reactive circuit control element (e.g., inductive, capacitive)	394Spring biased
366.26	...Having resistive or contact circuit control element	395	...Plural, coacting in intersecting planes
366.27	...Indicator details	396	...Liquid buoyed
367	..Plural, similar, separable liquid columns system	397	...Gimbal mounted
368	..Arresting means for movable indicator	398	...Weight, variable quantity or center of gravity
369	..Line level type	399	...Indicium adjustably fixed to reference-surface section or to weight
370	..Work, or workman, attaching means	400Cam-type adjuster (e.g., gear, screw, etc.)
371	...Requiring no modification of the work	401	...Motion transmitting mechanism drives indicator (e.g., gearing, magnetic coupling)
372Elastic bias type clamping	402	...Means limiting swing
373Encircling clamp, loop, or strap	403	STRAIGHTEDGE TYPE
374	..Relatively movable, coacting, reference-surface sections	404	.Wall guide and plumb (e.g., building construction)
375	...Affecting level or plumb indication	405	..Batter board type
376	..Add-on-type reference-surface section	406	..Adjustable vertically
		407	..Building is the vertical support
		408	...Connected to brick
		409By line tension only
		410Having adjustable clamp
		411	.Clapboard marking
		412	.Shaft aligning
		413	.Cord type
		414	..With chalking feature

415	. Multiplane angularly adjustable	454	.. Parallel type
416	.. Roof framing	455	.. Intercontrolled bevel blades
417	... Having rafter cut indicia (e.g., pitch, rise, etc.)	456	.. Multipivoted straightedges
418	. Square and pivoted straightedge	457	... Navigational
419	.. And sliding	458	... Folding rule type
420	.. Straightedge as a hypotenuse of the square	459	... Two straightedges pivoted at the ends of a central straightedge
421	... Having angle or slope indicating means	460 At least one pivot is sliding
422	.. Having circumferential pivot, only	461 Central straightedge longitudinally adjustable
423	.. With indicia for rafter cuts	462 Central straightedge longitudinally adjustable
424	.. With protractor	463 Three straightedges forming a triangle
425	... And sliding straightedge	464	.. Sliding
426	... Located on straightedge	465	.. Single pivot
427	. Square and sliding nonpivotal straightedge(s)	466	.. Handsaw attachment
428	.. Straightedge bisects right angle of square (i.e., centering square)	467	.. Lettering guide
429	. Square and fixed straightedge	468	.. T-head with pivoted straightedge
430	. Base attached	469 Locking
431	.. Navigation	470 Sliding
432	.. Perspective drawing	471 With angle indicating means
433	... With T-square straightedge	472	... Pivoted straightedge and sliding nonpivoted
434	... With parallel straightedge arrangement (i.e., drafting machine)	473	... Sliding pivotal adjustment
435	.. Rotary base	474	. Plural straightedges nonadjustably fixed at right angles (e.g., T-square, triangles, squares)
436	.. Linear counter rule	475	.. With right angle truing adjustment
437	.. With guide or catch for T- square type	476	.. With special scale markings
438	.. Universal parallelism arrangement	477	.. Lettering guide
439	... Wheel and band	478	.. Folding or separable
440 With counterbalance	479	.. T-square
441	... Double linkage	480	.. Try square
442 With counterbalance	481	.. Multiplane
443	... Both ends connected	482	. Plural nonadjustable straightedges forming nonright angles
444	... By cord and roller	483	. Rules
445	... By rack and pinion	484	.. With attachment
446	... One end moveable along straightedge	485	... For performing diverse function
447	.. Set shift, positively	486	... Index
448	. With means for moving straightedge over a surface	487 For subdividing
449	.. By rollers	488 Optical (e.g., magnifying)
450	.. Set shift	489	... For supporting above work surface
451	. Combined with level	490	... Located on end
452	. Plural straightedges, relatively moveable	491	... Selectable
453	.. Triangulation (e.g., solving trigonometric functions)	492	.. Edge details

493	..Particular material	735	...With computing means
494	..Special scale markings	736	...With particular electric output or circuit
495	.Pivot joints		
496	..180 degree limit	737	...With recording or marking means
497	...Locking		
498	..90 degree limit	738	...Having rectilinear scale
499	...Locking	739	...With signal means
500	..Locking	740	...With stop means
121	AREA INTEGRATORS	741For motor
122	.Planimeters	742By clutch
123	.Electrical	743	...Combined
124	.Rolling contact	744	...Belt type
700	DISTANCE MEASURING	745	...Zero setting means
701	.Process	746	...Rotating and stationary surfaces
702	.Error compensation (e.g., temperature)	747	...Opposed rotating surfaces
703	.Environmental isolation	748Plural
704	..Thermal	749Only three
705	..Sealing	750	..Predetermined stop or signal means
706	.Scale reading position sensor (e.g., grid counting)	751	..With marking means
707	..Optical	752	..With ratchet means to move indicator
708	..Magnetic	753	..With gear means to move indicator
709	.Convertible to another type measuring means	754	..With take up reel
710	.Machine parts	755	.By flexible tape
711	..Rolling contact	756	..Cord type
712	.Article support integral with measuring means	757	..Means to keep tape straight
713	.Sounding type	758	..With adhesive or securing means
714	..With electric control means	759	..Specified use
715	...Of line	760	..Combined
716	..Including electrical signal means	761	..Specified reel housing feature
717	..With sampling means	762	..With meter
718	...Hole type	763Including computing means
719	..Depth indication	764Plural tapes
720	..Line with weight	765	...Opening in housing for reading tape
721	..For nongaseous material	766	...Inside-outside measure
722	...Liquid (e.g. dipstick)	767	...Including brake or lock
723With means to adjust measuring rod	768	...Including attachment
724Having plural contacts	769	...Housing shape, structure or material
725With cleaning means	770	..Including attachment
726With guide	771	..Specified tape material
727With filter or vent	772	.Of length by rolling contact
728With lock means	773	..With computing means
729Shape of indicator	774	..Having rectilinear indicator
730With holder or housing for indicator	775	..Combined
731Including seal	776	..Belt type
732	.Of flexible material	777	..Inside tube
733	..Supply (e.g., bolt, roll)	778	..On running material (e.g., mill type)
734	..By rolling contact	779	..Implement

780With digital indicator	822By disengaging threaded element
781Including handle for implement	823Micrometer slidably mounted on a beam
782With handle	824Other contact slidable on beam
783	.Opposed contacts	825Spindle or micrometer slidable
784	..Digital indicator	826By use of interchangeable parts of different sizes
785	..Fluid indicator	827	...Inside measurement only
786Liquid column indicator	828	...With attachment
787	..Extensometer	829Particularly adapted for measuring threaded element
788With circuit means	830	...With special scale markings
789Including differential transformer	831	...Details (e.g., spindle or anvil adjustment, material
790	...Including means to clamp indicator to material	832	.Single contact with a work engaging support
791	..Optical indicator	833	.Adapted for a particular workpiece
792	..Rotary indicator	834	...Coating or surface layer thickness
793	...Electrically controlled	835	...Reeled material
794	...Hand held implement	836	...Depth of aperture or groove
795Beam type	837	..Fluid actuated indicator
796Nonpivoted type with scale	838	..Screw adjustment
797Pivoted type	501	GAUGE
798Center pivot	501.01	.Leather grading or size
799With screw or gear adjustment means	501.02	.Continuous gauging
800With spring adjustment means	501.03	..Including electric means
801With scale	501.04	...Pivoted probe
802Rectilinear push or pull actuator	501.05	.Comparator
803Bench type	501.06	..Beam type
804Lever actuator	501.07	...Three contact probes
805	...With work support	501.08	..Hand held
806	..Rectilinear indicator	501.09	...Plural contact probes
807	..Pivoted type with scale	501.1Only three probes
808	...With adjustment means	501.2With rotary indicator
809	..Exstensible-rule type	501.3Only four probes
810	..Beam type with scale	501.4With rotary indicator
811	...With means to adjust one contact member	501.45Fixed size
812	...Including means to lock one contact member	501.5	...With pivot means
813	..Micrometer	501.6	..Electric type
814	...Differential screw	501.7	.Tooth testing (e.g., gear, rack)
815	...With means for maintaining a constant or limited pressure on the contacts	501.8	..By electrical comparison
816	...With wear compensation or backlash prevention means	501.9	...Including a probe
817	...With lock	501.11	..Implement type
818	...With additional indicator	501.12	..Internal
819Digital	501.13	..By pair of engaged gears
820Electrical	501.14	..By probe
821	...With preliminary setting arrangement	501.15	...Teeth spacing
		501.16	...Including a master
		501.17	...Plural probes

501.18Only two	520	.Center, point, distance between centers, or centerline location
501.19	..By rotary master		
193	.Axe	521	.Earth profile or road grade or shrub or tree trim guide
194	.Door and window	522	.Container
195	.Hoof	523	.With conveying wheel support
196	.Millstone	523.1	..For railway track
197	.Mortise	523.2	...With recording means
199 R	.Screw thread	524	.Pie, cake, cheese, pizza, or sandwich portion
199 B	..Bench type	525	..Pie, cake, cheese, pizza or sandwich portion
200	.Spectacle	526	.Flooring, floor or wall covering, or molding
201	.Tool	527	..Floor covering
202	..Saw	528	.Wall panel outline marker for utility
203	.Wheel	529	.Pipe layout or fitting
203.1	..Watch	530	.Pitchometer
203.11	..Tread contour	531	.Taper
203.12	..With wheel supporting means	532	..External
203.13	...Roller or drum	533	.Straightness, flatness, or alignment
203.14	...Pivoted or sliding scuff board	534	.Angle
203.15	..Floor supported, wheel contacting	535	..Squareness
203.16	...Plane and radius	536	..Sine, cosine, or tangent bar
203.17	...Trammel	537	...Article support
203.18	..Axe, vehicle, or wheel supported	538	..Fixed pivot at one end
203.19	...Plane and radius	539	.Lock or key
203.2	...Trammel	540	..Cylinder lock tumbler decoder
203.21	..Trammel	541	.Postage stamp or mechanical coupling gauge
502	.With calibration device or gauge for nuclear reactor element	600	.Automotive
503	.Coordinate movable probe or machine	601	..Mechanical engine timing by piston contact in engine cylinder
504	.With computer responsive to contact probe	602	..Distributor point setting
505	.Having program control or an analogue to digital device	603	..Connecting rod
506	.Target, weapon, or weapon projectile	604	...With piston
507	.Lens	605	..Piston, piston ring, or crankshaft
508	.Golf stance, swing or club analysis	606	..Power train
509	.Bowling ball	607	..Fuel pump, injection nozzle or valve, or carburetor
510	..Grip	608	..Frame alignment
511	.Anatomical	609	..Brake
512	..Human	610	...Drum or shoe
513	...Dental	611	..Engine valve, valve-stem, or tappet
514With mouth or teeth contact	612	..Torsion bar
514.1	...Ring type	613	..Collocating
514.2	...Conformator	614	..Printing member registration
515	...Having a support or foot locator for body		
516	.Point reproducer		
517	.Bearing or bearing part		
518	.Masonry construction		
519	.Cam profile or keyway		

615	...Photographic member or holder with respect to surface	647	...Having tab for supporting bottom of clapboard
616	...Transparent registration sheet to align printing on member	648	..Shingle lapping gauge
617	...Printing type or plate	649	...Having tab on underside of shingle
618Curved printing member with respect to its support	650	..Shoe, shoe part, or last
619Page form registration with respect to its support or to another form on same support	651	..Railway track or railway vehicle part
620Plate registration with respect to second plate or printing sheet	651.1	...Track type
621Plate registration with respect to plate support	652	..Burner fuel emitting member with respect to electrode spacing
622	...Hand stamp registration with respect to printing location on sheet to be printed	653	..Insignia with respect to garment, e.g., uniform
623	..Sheet registering device	654	..Valve
624	..Earth contacting or working	655	..Machine parts
625	...Trenching tool depth	656	...Electrical dynamo
626	..Tool or surrogate	657	...Rolls, or roll and coacting part
627	...Die	658	...Typewriter
628	...Cutter or shaper	659	...Watch
629Screw thread	660	...Wheel quartering or crank arm, connecting rod or crank pin with respect to one or the other
630Cutter with respect to workpiece end	661	...Plural axes center for common axis
631Shears	662	.Button or buttonhole
632Axis of rotary cutter with respect to axis of cylindrical workpiece	663	.Proportional line segmenter
633Planar blade with respect to its holder or another part	664	..Parallelogram type
634With respect to its rotary holder	665	..Dividers
635Plural blade holder	666	.With point marker
636Bit with respect to its holder	667	..For door or drawer hinge, pull or securing means
637Boring bar holder	668	..For windup tape or tape casing, or marker attachment for tape
638Bit with respect to workpiece or workpiece holder	669	..Plural markers
639Drill or bit with respect to chuck or spindle holder	670	..Having marker centering means
640Circular cutter with respect to workpiece or workpiece support	671	...For marking center of a hole
641With respect to support	672	...Having diverging-angle bisector workpiece-contacting members with marker on angle bisector
642	...Spindle or chuck with respect to workpiece or workpiece support	673	...Having adjustable workpiece-contacting centering means
643	...Millstone with respect to millstone shaft	674Pivoted caliper workpiece-contacting means
644	..Centering or point location	675Rack and pinion operating workpiece-contacting means
645	..Alignment	676	...Having workpiece-contacting tapered centering means
646	..Clapboard lapping	677	..Having workpiece-contacting device with marking to align with workpiece marking

678	..Angularly adjustable about an axis	558.3	..Removable probe
679	..Marker located with respect to two different directions	558.4	..Pivoted probe
679.1	.Special scale markings	558.5	..Median handle
542	.Internal	559	.Movable contact probe, per se
543	..Concentricity or eccentricity	560	..Plural probes
543.1	..Fluid type	561	..With electrical switch or transducer responsive to probe
544	..Earth cavity or tube	561.1	.Conformato or adjustable curve template
544.1	...Including means to rotate probe	561.2	..Flexible type
544.2	...Having means to actuate probe	561.3	...Including plural adjustment means
544.3Biased probe	562	.Template
544.4	..Tapered probe	563	..Single sheet type
544.5	..Having more than two probes	564	...Alphabetical or numerical symbol type
544.6	...Only three probes	565	...Geometrical figure, three dimensional to two dimensional figure or curve
542.1	..Telescoping caliper or stem gauge	566	...Line or guide
545	.Comparison with a standard	567	.Surface plate or gauge block
546	..Profile	567.1	..Adjustable gauge block
547	...Optical comparison	568	.Work support adjustment
548	.Plural tests	569	..Rotary
549	.With support for gauged article	570	...Pin and slot type
550	..Concentricity	571	.With scale
551	..Profile	572	.Probe support
552	...Having plural contact members	573	.Work support
553	...Member contacts successive points on the article	574	POINT MARKER GUIDE
554With recording of contact member position at each point on the article	575	.Button or buttonhole marker guide
555	..Having indicator of probe position or movement	576	..With workpiece support
555.1	.Circular size	577	.With support for workpiece
555.2	..Aperture type	578	.For plural markers
555.3	.."V" type	579	.For marker movement in direction of marker axis
555.4	..Flexible band type		
556	.Having a movable contact probe		
557	..Plural probes		
558	..Electrical switch or transducer responsive to probe or probe is part of electrical circuit		
558.01	.Pivoted probes (e.g., divider, caliper, etc.)		
558.02	..Proportional		
558.03	..Point parallelizing		
558.04	..Having adjustable legs		
558.05	...By screw means		
558.06Tangent		
558.07Median		
558.08Quick adjustment		
558.09Having opposed threads		
558.1Rotatable nut		
558.2	..Plural legs or contact probes		

FOREIGN ART COLLECTIONS**FOR 000 CLASS-RELATED FOREIGN DOCUMENTS**

Any foreign patents or non-patent literature from subclasses that have been reclassified have been transferred directly to FOR Collection listed below. These collections contain ONLY foreign patents or nonpatent literature. The parenthetical references in the Collection titles refer to the abolished subclasses from which these Collections were derived

INDICATOR OF DIRECTION OF FORCE
TRAVERSING NATURAL MEDIA
.Level or plumb, terrestrial
gravitation responsive
FOR 100 ..Electrically actuated signal or
indicator (33/366)

DIGESTS

DIG 1 MAGNETIC
DIG 2 AIR
DIG 3 PHOTOELECTRIC
DIG 4 INTERFEROMETER
DIG 5 DIFFERENTIAL TRANSFORMER
DIG 6 DIAL INDICATOR SHOCK ABSORBER
DIG 7 RIBBON AND WIRES
DIG 8 ECCENTRICS
DIG 9 RECTANGULAR PROPORTIONER
DIG 10 OUTLET BOX
DIG 11 MATERIALS
DIG 12 MECHANICAL EXPEDIENTS
DIG 13 WIRE AND STRAIN GAUGES
DIG 14 SPLINE AND GEAR
DIG 15 PISTON POSITION INDICATOR
DIG 16 CLIPS AND RAFTERS
DIG 17 PISTON RING AND BEARING RACE
GAUGING
DIG 18 FLUSH PIN GAUGES
DIG 19 THERMAL EXPANSIVE
DIG 20 TILE
DIG 21 WITH LASER

